USDA - NSA Workshop

http://goo.gl/xqf8Og

OYSTERGEN.ES

WORKSHOP PACIFIC OLYMPIA

USDA NRSP-8 / NSA Genomics Resource Coordination Workshop

Wednesday, March 25 - Monterey, CA - Monterey Marriot Hotel - 2pm Los Angeles Room.

Draft Agenda

The Workshop will start with a few "how-to" / tutorial based presentations on how groups are dealing with genomic datasets.

Livestream


We will attempt to broadcast and allow persons to join via Google Hangouts. If you are interested in joining the conversation via Google Hangouts please contact Steven Roberts (sr320@uw.edu). Anyone can watch the livestream

Rationale

There is a wealth of information regarding genomic attributes and associated phenotypic traits that has not been exploited from the enormous datasets being generated from high throughput sequencing. The nature of this data often can answer specific research questions of a project and also contain other valuable information that is not readily of interest in those carrying out the experiments. More importantly, the substantial advance in furthering our understanding of genomic and phenotypic relationship will only occur once disparate datasets are integrated. This workshop supported by the USDA-NIFA National Research Support Project 8 will focus on bringing together those in the shellfish community to

- a) discuss challenges and solutions in genomic analyses
- b) improve functional annotation of the genome,
- c) produce a sustaining platform for curation, distribution, and application of genomic datasets.

http://goo.gl/xqf8Og




http://goo.gl/xqf8Og

Tutorials

Lightning Talks

Discussion



Today

Crassostrea virginica sequencing

Tutorials Breeding program


Lightning Talks

Communication Platform

Discussion

Our dataflows & workflow

- Raw data and management plan
- Analyses
 - SQLShare [qdod]
 - · iPlant Collaborative
 - IPython / GitHub
- Publishing
 - Online Notebooks
 - GitHub



Environment

Molecular

Data Analysis

eScience

iPlant Galaxy


Notebooks


Rationale

Platforms

Open Science

Data





Environment

Molecular

Data Analysis

eScience

iPlant Galaxy

Notebooks

Rationale

Platforms

Open Science

Data



Environment



Platforms

pen Science

ATA

Preliminary Phase: Aggregating Datasets

Using SQLShare as a platform we have already begun to aggregate and format data. Anyone can view (and contribute) using the tag "qdod". Below is a table describing some of the relevant datasets. "Snapshot" provides you with a screenshot of the data in SQLShare and "Direct Link" brings you directly to the data in SQLShare. You can also open the table in a new webpage.

Data

qDOD online		
qDOD_Cgigas_gene_fasta	sequence fasta file. Exon only.	http://goo.gl/ogCxl https://sqlshare.esc
qDOD_Zhang_Gil_gene_RNA-		https://sqlshare.esc
seq	Gill RNA-seq data (gene based)	http://goo.gl/8oISR seq
qDOD_Zhang_Mgo_gene_RNA-	Male Gonad RNA-seq data (gene	https://sqlshare.esc
seq	based)	http://goo.gl/6buVz.seq

everything else...




Environment



SQLSHARE

SQLShare is an easier way to store and share your data. Get answers to your research questions right now.



Log in using your account:

W UNIVERSITY of WASHINGTON



Platforms

Don't have an account?

Create a Google Account and start using SQLShare quickly.

Upload

Upload any tabular data and start analyzing instantly. No need to install, configure, or design a database.

Modify

Exercise the full power of SQL even with zero programming experience: joins, subqueries, set operations.

Share

Analyze and compare your data collaboratively. Derive new datasets and share them with your colleagues.

one can view (and contribute) using the

ides you with a screenshot of the data in en the table in a new webpage.

Data

nttps://sqlshare.esc nttps://sqlshare.esc seq nttps://sqlshare.esc

everything else...

Modi

Jan 2

Nov

Oct 2

Oct 2

Oct 2

Oct 2

Oct 2

Aug:

Aug:

Aug

Jul 2

Jul 2

Jul 1

Jul 1

Jun 2

Jun 2

May

May

May

May

May

▲ sr320@washington.edu

Your datasets All datasets Shared datasets Recent activity... 18 Recently viewed » Upload dataset New query YOUR TOP VIEWED qDOD Cgigas ... BiGo_Larvae_j... TJGR_CCD_d... BiGill_RNAseq... BiGo_lar_T3D5 POPULAR TAGS proteomics pnitzsch orbitrap published oyster protein input seaflow techtrip

bioinformatics

oceanography

skyline

ssgcid

qdod2

dodp

suna

tsg

swissprot

Cajaas gene length CDS only

Your Datasets Filter dataset by keyword: | qdod Name Sharing / Owner qdod proteome blast mouse sr320@washington.edu qDOD_v9_gene GFF format file of oyster genes ~28k sr320@washington.edu gene sr320@washington.edu _qdod_goslim_graphtest SNP RNAseqLibary SB BiGill SNP table from RNA-seq library - SB gill tissue pool (BiGill complement) sr320@washington.edu qdod2 BiGill_meth_Zhang_exp Gene-centric data including length, CG, percent methylation (gill) and tissue specific RPKM data from Zhang et a sr320@washington.edu gdod2 qDOD_Cgigas_gene_fasta Tabular format of Cgigas gene sequence fasta file Derived using Dataset: Genomic data from the Pacific oyste sr320@washington.edu gdod2 qDOD Cgigas Gene Descriptions (Swiss-prot) Description and evalues associated with Cgigas 28k genes Derived using Dataset: Genomic sr320@washington.edu blast file0 ♠ sr320@washington.edu BiGill meth with SP sr320@washington.edu SPID and GO Numbers Swiss-Prot IDs and corresponding GO numbers sr320@washington.edu Cgigas_larvae_RNAseq_OsHV_GO sr320@washington.edu qDOD_Cgigas_GO_GOslim_DISTINCT sr320@washington.edu Cgigas Larvae RNA-Seq OsHV UR10 RNA-seq data with descriptions of larvae exposed to OsHV. (>/= 10 UniqueReads) sr320@washington.edu Cgigas Larvae RNA-Seq OsHV RNA-seq data with descriptions of larvae exposed to OsHV sr320@washington.edu Zhang_Mgo_gene_RNA-seq_IGV sr320@washington.edu Zhang_Gil_gene_RNA-seq_IGV IGV format sr320@washington.edu BiGill_methratio_Gene_Genomic_GFF GFF formatted file indicated DNA methylation on oyster genes sr320@washington.edu TJGR_GeneBased_CDS_GFF GFF format file with exons indicated for genes in oyster genome sr320@washington.edu qdod BiGill_Gene_Methratio_VD sr320@washington.edu oyster v9 mRNA GFF GFF (gene) from Zhang et al. Column9 modified for Joining sr320@washington.edu gdod

qdod

Modi

Jan 2

Nov

Oct 2

Oct 2

Oct 2

Oct 2

Oct 2

Aug.

Aug.

Aug

Jul 2

Jul 2

Jul 1

Jul 1

Jun 2

Jun 2

May

May

May

May

May

Filter dataset by keyword:

sr320@washington.edu

▲ sr320@washington.edu.

Your datasets

All datasets

Shared datasets

Recent activity... 18

Recently viewed »

Upload dataset

New query

YOUR TOP VIEWED

qDOD Cgigas ... 16
BiGo_Larvae_j... 16
TJGR_CCD_d... 16
BiGill_RNAseq... 16
BiGo_lar_T3D5 16

proteomics
oa
pnitzsch
orbitrap
published
oyster
protein
input
seaflow
techtrip
bioinformatics
skyline

oceanography

ssgcid

qdod2 qdod

swissprot

suna

tsg

Your Datasets

SPID and GO Numbers Swiss-Prot IDs and corresponding GO numbers

Cgigas Larvae RNA-Seq OsHV RNA-seq data with descriptions of larvae exposed to OsHV

BiGill_methratio_Gene_Genomic_GFF GFF formatted file indicated DNA methylation on oyster genes

TJGR_GeneBased_CDS_GFF GFF format file with exons indicated for genes in oyster genome

oyster_v9_mRNA GFF GFF (gene) from Zhang et al. Column9 modified for Joining

Cgigas Larvae RNA-Seq OsHV UR10 RNA-seq data with descriptions of larvae exposed to OsHV. (>/= 10 UniqueReads)

Cgigas_larvae_RNAseq_OsHV_GO

Zhang_Mgo_gene_RNA-seq_IGV

BiGill_Gene_Methratio_VD

Caigas gene length CDS only

qdod

gdod

Zhang_Gil_gene_RNA-seq_IGV IGV format

qDOD_Cgigas_GO_GOslim_DISTINCT

Name	Sharing / Owner
qdod_proteome_blast_mouse	
qDOD_v9_gene GFF format file of oyster genes ~28k gene	Use Cases
_qdod_goslim_graphtest	
SNP_RNAseqLibary_SB_BiGill SNP table from RNA-seq library - SB qdod2	 Joining on Annotations
BiGill_meth_Zhang_exp Gene-centric data including length, CG, percentage qdod2	
qDOD_Cgigas_gene_fasta Tabular format of Cgigas gene sequence	
qdod2	· Oueming Cone Tobles
qDOD Cgigas Gene Descriptions (Swiss-prot) Description and evalue blast	 Querying Gene Tables
file0	
BiGill meth with SP	

```
Your Datasets
                                                                                                Filter dataset by keyword: | qdod
                                                                                             Sharing / Owner
 Name
 gdod proteome blast mouse
                                                                                              qDOD_v9_gene GFF format file of oyster genes ~28k
                                              Use Cases
                                                                                              sr320@washington.edu
  gene
 _qdod_goslim_graphtest
                                                                                              sr320@washington.edu
 SNP RNAseqLibary SB BiGill SNP table from RNA-seq library - SB

    Joining on Annotations

 BiGill_meth_Zhang_exp Gene-centric data including length, CG, pero

    File Conversion

 qDOD Cgigas gene fasta Tabular format of Cgigas gene sequence

    Querying Gene Tables

 qDOD Cgigas Gene Descriptions (Swiss-prot) Description and evalue
```

Modi

Jan 2

Nov

Oct 2

Oct 2

Oct 2

Aug:

Aug:

Aug

Jul 2

Jul 2

Jul 1

Jul 1

Jun 2

Jun 2

May

May

May

May

Mav

20@washington.edu

20@washington.edu

20@washington.edu


120@washington.edu

Secondary stress: proteomics

Original input file had some peptides of charge state >2, so had to redo everything with fixed input file.

SR discovered that for some proteins, a peptide was sequenced multiple times and so had multiple expression values. From the unique protein associations file in SQLshare, I summed the expression values for all identical peptides.

```
SELECT [peptide sequence], SUM([2_01 TotalArea]) AS CG2_01, SUM([2_02 TotalArea]) AS CG2_02, SUM([2_03
                                                                                                             120@washington.edu
TotalArea]) AS CG2 03, SUM([5 01 TotalArea]) AS CG5 01, SUM([5 02 TotalArea]) AS CG5 02, SUM([5 03
                                                                                                             120@washington.edu
TotalArea]) AS CG5_03, SUM([8_01 TotalArea]) AS CG8_01, SUM([8_02 TotalArea]) AS CG8_02, SUM([8_03
TotalArea]) AS CG8_03, SUM([11_01 TotalArea]) AS CG11_01, SUM([11_02 TotalArea]) AS CG11_02, SUM([11_03
                                                                                                             120@washington.edu
TotalArea]) AS CG11_03, SUM([26_01 TotalArea]) AS CG26_01, SUM([26_02 TotalArea]) AS CG26_02, SUM([26_03
TotalArea]) AS CG26_03, SUM([29_01 TotalArea]) AS CG29_01, SUM([29_02 TotalArea]) AS CG29_02, SUM([29_03
                                                                                                             20@washington.edu
TotalArea]) AS CG29_03, SUM([32_01 TotalArea]) AS CG32_01, SUM([32_02 TotalArea]) AS CG32_02, SUM([32_03
TotalArea]) AS CG32 03, SUM([35 01 TotalArea]) AS CG35 01, SUM([35 02 TotalArea]) AS CG35 02, SUM([35 03
                                                                                                             20@washington.edu
TotalArea]) AS CG35_03, SUM([221_01 TotalArea]) AS CG221_01, SUM([221_02 TotalArea]) AS CG221_02,
SUM([221_03 TotalArea]) AS CG221_03, SUM([224_01 TotalArea]) AS CG224_01, SUM([224_02 TotalArea]) AS
                                                                                                             20@washington.edu
CG224_02, SUM([224_03 TotalArea]) AS CG224_03, SUM([227_01 TotalArea]) AS CG227_01, SUM([227_02
TotalArea]) AS CG227_02, SUM([227_03 TotalArea]) AS CG227_03, SUM([230_01 TotalArea]) AS CG230_01,
                                                                                                             20@washington.edu
SUM([230 02 TotalArea]) AS CG230 02, SUM([230 03 TotalArea]) AS CG230 03,
SUM([242_01 TotalArea]) AS CG242_01, SUM([242_02 TotalArea]) AS CG242_02, SUM([242_03 TotalArea]) AS
                                                                                                             20@washington.edu
CG242_03, SUM([245_01 TotalArea]) AS CG245_01, SUM([245_02 TotalArea]) AS CG245_02, SUM([245_03
TotalArea]) AS CG245 03, SUM([248 01 TotalArea]) AS CG248 01, SUM([248 02 TotalArea]) AS CG248 02,
                                                                                                             l20@washington.edu
SUM([248_03 TotalArea]) AS CG248_03, SUM([251_01 TotalArea]) AS CG251_01, SUM([251_02 TotalArea]) AS
                                                                                                             120@washington.edu
CG251_02, SUM([251_03 TotalArea]) AS CG251_03
```



Environment

Molecular

Data Analysis

Currently the documentation is focused on 1) describing current datasets and 2) providing workflow tutorials.

A. Raw Data

eScience

Select NGS Data via Roberts Lab

B. Datasets in SQLShare

iPlant Galaxy

Notebooks

- Universal
- Generic Oyster Datasets
- · Tissue Specific Oyster Datasets

C. Tutorials

- Simple Gene Search Rationale
- Standard SQLShare Queries
- · Annotating Genes
- File Format Conversions

Platforms

D. Genome Browser Feature Tracks

- Canonical Tracks
- Bisulfite sequencing (gill tissue)
- Reference Genome Files

Open Science


Please use GitHub's Issue feature to ask question, report problems, or suggest features.

Last edited by sr320, 9 days ago

Data



Static Data Tables - Universal
 Static Data Tables - Annotations



Select Genomic Data

ID	Platform	Molecule	Tissue	Length	Files
BB3	SOLID	RNA	gill	25 x 1	csfasta; qual
DH3	SOLiD	RNA	gill	25 x 1	csfasta qual Vironmen
DH2	SOLID	RNA	gill	25 x 1	csfasta; qual
GE	SOLID	RNA	larvae	50 x 1	csfasta; qual Molecula
GC	SOLiD	RNA	larvae	50 x 1	csfasta; qual
SBunmeth	SOLID	DNA	gill	25 x 1	csfasta; qual
SBmeth	SOLID	DNA	gill	25 x 1	Data Analysis
BSseqGill	Illumina	DNA	gill	36 x 1	fastq
ETStagseq	Illumina	RNA	gill		eScience
BSseqSperm	Illumina	DNA	sperm	72 x 2	fastq1; fastq2
BiGillRNA	Illumina	RNA	gill	50 x 2	fastq1; fastq2
BiGoRNA	Illumina	RNA	sperm	50 x 2	fastq1, fastq2 Tastq2 Galaxy

Currently the documentation is focused on

A. Raw Data

Select NGS Data via Roberts Lab

B. Datasets in SQLShare

- Universal
- · Generic Oyster Datasets
- · Tissue Specific Oyster Datasets

C. Tutorials

- Simple Gene Search
- Standard SQLShare Queries
- · Annotating Genes
- File Format Conversions

Notebooks

Rationale

Riology

Platforms

Data

D. Genome Browser Feature Tracks

- · Canonical Tracks
- · Bisulfite sequencing (gill tissue)
- · Reference Genome Files

Open Science


and the Citherine leave feature to only supporting report problems, or augment features

Please use GitHub's Issue feature to ask question, report problems, or suggest features.



Last edited by sr320, 9 days ago

everything else...



Currently the documentation is focused on

A. Raw Data

Select NGS Data via Roberts Lab

B. Datasets in SQLShare

- Universal
- Generic Oyster Datasets
- Tissue Specific Oyster Datasets

C. Tutorials

- Simple Gene Search
- Standard SQLShare Queries
- Annotating Genes
- File Format Conversions

D. Genome Browser Feature Tracks

- Canonical Tracks
- Bisulfite sequencing (gill tissue)
- Reference Genome Files


Select Genomic Data

						Biology
ID	Platform	Molecule	Tissue	Length	Files	2.0.097
BB3	SOLiD	RNA	gill	25 x 1	csfasta; qual	
DH3	SOLiD	RNA	gill	25 x 1	csfasta qua V	ironment
Data Snapsh	nots			Edit Page P	age History Clone URL	

Data Snapshots

Universal

Select datasets available from SQLShare. Tag: | qdod2 https://sqlshare.escience.washington.edu/sqlshare/#s=tag/qdod2



Platforms

Molecular

Open Science


Please use GitHub's Issue feature to ask question, report problems, or suggest features.

Last edited by sr320, 9 days ago





Static Data Tables - Annotations



Currently the documentation is focused on

A. Raw Data

Select NGS Data via Roberts Lab

B. Datasets in SQLShare

- Universal
- Generic Oyster Datasets
- Tissue Specific Oyster Datasets

C. Tutorials

- Simple Gene Search
- Standard SQLShare Queries
- Annotating Genes
- File Format Conversions

D. Genome Browser Feature Tracks

- Canonical Tracks
- Bisulfite sequencing (gill tissue)
- Reference Genome Files

Please use GitHub's Issue feature to ask

Last edited by sr320, 9 days ago



• Static Data Tables - Universal Static Data Tables - Annotations

Select Genomic Data

ID	Platform	Molecule	Tissue	Length	Files	Biology
BB3	SOLiD	RNA	gill	25 x 1	csfasta; qual	
DH3	SOLiD	RNA	gill	25 x 1	csfasta qua	ironment


Edit Page Page History Clone URL

Page History Clone URL

Data Snapshots

Select datasets available from SQLShare. Tag: | qdod2 https://sqishare.escience.washington.edu/sqishare/#s=tag/qdod2

Universal



Workflow 1: Annotating Oyster Genes

This workflow will take focus on taking a simple SQLShare table that has gene IDs and associated expression data and will take you through the steps of figuring out the name, function, etc of each gene.

Initial Data Table: Oyster larvae RNA-seq - OsHV exposure

SCREENSHOT

solid0078_20091105_RobertsLab_GE_F3 trimmed RNA-Seq.txt < Viewable by everyone

OsHV RNA-seg on Version 9 transcriptome

Click here to add a tag



Science

ebooks

ationale

latforms


Molecular

< first < prev	1 2 3 4 5	next > last	>>
ID	UniqueReads	TotalReads	RPKM
CGI_10000001	0	10	5.23
CGI_10000002	5	5	2.756
CGI_10000003	0	0	0
CGI_10000004	0	0	0
CGI_10000005	0	0	0

DATASET PREVIEW Rows 1 - 100 of 28027 | Columns 4 of 4

Data

q else...





eScience Institute

Workshop


B. Datasets in SQLShare

Data Snapshots

Select datasets available from SQLShare. Tag: qdod2 https://sqlshare.escience.washington.edu/sqlshare/#s=tag/qdod2

Molecular

Universal



Data Analysis

eScience

ebooks

ationale

latforms

: Annotating Oyster Genes

us on taking a simple SQLShare table that has gene IDs and associated expression data and will take you through ne name, function, etc of each gene

ole: Oyster larvae RNA-seq - OsHV exposure

5_RobertsLab_GE_F3 trimmed RNA-Seq.txt < Viewable by everyone

ds"l as UniqueReads

gton.edul.[table solid0078 20091105 RobertsLab GE F3 trip

4 5 next > last >>

erceaus	TotalReads	RPKW
	10	5.23
	5	2.756
	0	0
	0	0
	0	0

Science

Data

q else...

Value in sitting around table



Environment

Molecular

Data Analysis

eScience

iPlant Galaxy

Notebooks

Rationale

Platforms

Open Science

Data

everything else...



Environment

Molecular

Data Analysis



Discovery Environment








Environment

Molecular


Data Analysis



Environment

Molecular

Data Analysis





















SQLSHARE

Galaxy



iPlant Collaborative™







Environment

Molecular

Data Analysis

eScience

iPlant Galaxy

Notebooks

Rationale


Platforms

Open Science

Data

everything else...





Revigo

the Gene Ontology

STACKS

Bedtools

Environment

Molecular

Data Analysis

eScience

iPlant Galaxy

Notebooks

Rationale

Platforms

Open Science

Data

everything else...


Jupyter Notebooks (IPython)



Install Docs Videos News Cite Sponsors Donate

The IPython Notebook

The IPython Notebook is a web-based interactive computational environment where you can combine code execution, text, mathematics, plots and rich media into a single document:



These notebooks are normal files that can be shared with colleagues, converted to other formats such as HTML or PDF, etc. You can share any publicly available notebook by using the <u>IPython Notebook Viewer</u> service which will render it as a static web page. This makes it easy to give your colleagues a document

Jupyter

fasta2slim / fasta2slim.ipynb /

Fasta2Slim

This IPython notebook is intended to serve as a structured means to annotate sequences using UniProt/SwissProt database. The notebook can be easily modified to personal preferences. As developed, the notebook requires the user has the following software installed ...

- IPython
- NCBI Blast
- SQLShare Python Client

Instructions for use.

In a working directory of your choosing place query fasta file, naming as query.fa. Edit the cell below, providing the path to said working directory.

Identify the location of the blast database you would like to use and indicate path in the cell below.

Identify the location of your sqlshare-pythonclient/tools and indicate path in the cell below.

Change the input to the usr variable to reflect your SQLShare user account.

```
In [2]: #Location Variables
        wd="~/Desktop/test/"
        db="/Volumes/Bay3/Software/ncbi-blast-2.2.29\+/db/uniprot_sprot_r2013_12"
        sqls="~/sqlshare-pythonclient/tools/"
        usr="sr320@washington.edu"
```


```
In [254]: !head {wd}query.fa
```

>PiuraChilensis_v1_contig_1

AAGTTCACCAATATTTTATTGTAAAAAATCATTCTAAACAGCATGAAATCGTGTACAATG GTAAAAAATTCAAACATGTCAAATACCCCGGCGTTAGCCTTAAAAGCACCATGGACTTCT

IP[y]: Notebook

fasta2slim Last Checkpoint: Jan 05 15:31 (autosaved)



Instructions for use.

In a working directory of your choosing place query fasta file, naming as query.fa. Edit the cell below, providing the location of the blast database you would like to use and indicate path in the cell below.

Identify the location of your sqlshare-pythonclient/tools and indicate path in the cell below.

Change the input to the usr variable to reflect your SQLShare user account.

```
In [2]: #Location Variables
wd="~/Desktop/test/"

db="/Volumes/Bay3/Software/ncbi-blast-2.2.29\+/db/uniprot_sprot_r2013_12"

sqls="~/sqlshare-pythonclient/tools/"

usr="sr320@washington.edu"

In [254]: !head {wd}query.fa
```

```
In [2]: !head {wd}query.fa
```

>PiuraChilensis_v1_contig_1

```
In [3]: #number of sequences
!fgrep -c ">" {wd}query.fa
282
```

Blast

```
In [4]: !blastx \
    -query {wd}query.fa \
    -db {db} \
    -max_target_seqs 1 \
    -max_hsps 1 \
    -outfmt 6 \
    -evalue 1E-05 \
    -num_threads 2 \
    -out {wd}blast_sprot.tab
```

Number of matched sequences:

```
In [5]: !wc -l {wd}blast sprot.tab
             211 /Users/sr320/Desktop/test/blast sprot.tab
In [6]: !tr ' ' "\t" <{wd}blast sprot.tab> {wd}blast sprot sql.tab
        !head -1 {wd}blast sprot.tab
        !echo SQLShare ready version has Pipes converted to Tabs ....
        !head -1 {wd}blast sprot sql.tab
        PiuraChilensis v1 contig 3
                                        sp Q6P9A1 ZN530 HUMAN
                                                                33.33
                                                                                61
                                                                        105
                        1118
                825
                                414
                                        516
                                                1e-07
        3
                                                        57.4
        SQLShare ready version has Pipes converted to Tabs ....
        PiuraChilensis v1 contig 3
                                                                        33.33
                                                Q6P9A1 ZN530 HUMAN
                                                                                105
                                        sp
                                                516
        61
                3
                        825
                                1118
                                        414
                                                        1e-07
                                                                57.4
        Joining in SQL Share
In [7]: !python {sqls}singleupload.py \
        -d blast sprot \
        {wd}blast sprot sql.tab
        processing chunk line 0 to 211 (0.000264167785645 s elapsed)
        pushing /Users/sr320/Desktop/test/blast sprot sql.tab...
        parsing 983DD315...
        finished blast sprot
        !python {sqls}fetchdata.py \
In [8]:
        -s "SELECT Column1, term, GOSlim bin, aspect, ProteinName FROM [{usr}].[ b
        last sprot]md left join [samwhite@washington.edu].[UniprotProtNamesReviewe
        d yes20130610|sp on md.Column3=sp.SPID left join [sr320@washington.edu].[S
        PID and GO Numbers | go on md.Column3=go.SPID left join [sr320@washington.ed
        u].[GO_to_GOslim]slim on go.GOID=slim.GO id where aspect like 'P'" \
        -f tsv \
        -o {wd}GOdescriptions.txt
```

Plot GoSlim terms

```
In [10]: pylab inline
           Populating the interactive namespace from numpy and matplotlib
In [11]: cd {wd}
           /Users/sr320/Desktop/test
           from pandas import *
In [12]:
           gs = read_table('GOdescriptions.txt')
In [13]: gs.groupby('GOSlim bin').Column1.count().plot(kind='barh', color=list('y')
           savefig('GOSlim.png', bbox inches='tight')
                                transport
                           stress response
                        signal transduction
                        protein metabolism
                   other metabolic processes
                   other biological processes
            30Slim bin
                    developmental processes
                                   death
                          cell-cell signaling
              cell organization and biogenesis
                   cell cycle and proliferation
                             cell adhesion
                           RNA metabolism
                          DNA metabolism
                                                   50
                                                               100
                                                                            150
                                                                                        200
```

Value

- Reproducible
- Sharing and Collaborating
- Data Provenance
- Great for teaching / troubleshooting

https://github.com/sr320